



TC-0149 (S) | TC-0147 (ML) | TC-0148(XL)

SAFETY HARNESS IZ FOUR®

- ✓ Straps with padded padding on shoulders, legs and torso, guaranteeing extra comfort, lightness and safety
- ✓ INOX buckles with exclusive AC® system, double cylindrical bar buckle with stainless steel angled crown
- ✓ Double safety in case of falls, as well as ergonomics and comfort at work
- ✓ 3 material holders in yellow (contrasting colour) with a load capacity of 10kg each
- ✓ Exclusive DOUBLE LINK® double-ring textile coupling system, 3 times lighter than metal points
- ✓ 2 material supports on the shoulders to place the MGO connectors of the fall arrest system
- ✓ 6 anchor points, extremely light and corrosion-resistant, in noble metal and DOUBLE LINK® textile material
- ✓ Innovative sizing system: S, ML and XL, for people up to 150kg

Description

IZ FOUR® is a parachutist-type safety harness with 4 connection points and 2 rescue points on the shoulders, ideal for work at heights, positioning and confined spaces, with dorsal and chest connection, SPIQ (personal fall protection system), 2 for fall arrest and 2 for DOUBLE LINK® textile positioning. Its straps are made of flame-retardant material when in contact with the harness.

It has 3 structured yellow material loops, with a load capacity of 10kg each. 2 material supports on the shoulders to fit the MGO connectors of the fall arrest system. It is a belt with straps with padded padding on the shoulders, legs and torso, guaranteeing extra comfort, lightness and safety. The strap with padding system is a TASK patent. Exclusive strap with padded padding on the chest guarantees double safety in case of falls and ergonomics and comfort at work.

It has INOX buckles - Exclusive AC® System. It is patented, has a double-bar cylindrical buckle with an angled stainless steel crown. It has an exclusive DOUBLE LINK® textile attachment system with double ring, more resistant than traditional metal tips. DOUBLE LINK® weighs only 25 grams and is 3 times lighter than metal points. Resistant to 50,000 cycles of use (approximately 15 years of intense use).

On IZ FOUR®, the DOUBLE LINK® textile attachment point also reduces wear on the connectors, as it has no metallic contact. Innovative sizing system: S, ML and XL. For people weighing up to 150kg.

Highlights



1 Tapes with filling system, TASK patent



2 DOUBLE LINK® textile coupling system



3 Noble metal material (stainless steel and aluminum)



4 6 anchor points, extremely light and corrosion resistant



3 sizes: S, M, L, XL



8 QR code to read technical information



7 2 material holders on the shoulders to place the MGO connectors



6 3 yellow material holders, capacity 10kg each



Technical Description

IZ FOUR® is a parachutist-type safety harness with 4 connection points and 2 rescue points on the shoulders, ideal for work at heights, positioning and confined spaces, with dorsal and chest connection, SPIQ (personal fall protection system), 2 for fall arrest and 2 for DOUBLE LINK® textile positioning. Its straps are made of flame-retardant material when in contact with the harness.

It has 3 structured yellow material loops, with a load capacity of 10kg each. 2 material supports on the shoulders to fit the MGO connectors of the fall arrest system. It is a belt with straps with padded padding on the shoulders, legs and torso, guaranteeing extra comfort, lightness and safety. The strap with padding system is a TASK patent. Exclusive strap with padded padding on the chest guarantees double safety in case of falls and ergonomics and comfort at work.

It has INOX buckles - Exclusive AC® System. It is patented, has a double-bar cylindrical buckle with an angled stainless steel crown. It has an exclusive DOUBLE LINK® textile attachment system with double ring, more resistant than traditional metal tips. DOUBLE LINK® weighs only 25 grams and is 3 times lighter than metal points. Resistant to 50,000 cycles of use (approximately 15 years of intense use).

On IZ FOUR®, the DOUBLE LINK® textile attachment point also reduces wear on the connectors, as it has no metallic contact. Innovative sizing system: S, ML and XL. For people weighing up to 150kg.

Technical Advantages

-  6 anchor points, 2 for fall arrest, 2 for DOUBLE LINK® textile positioning and 2 rescue points on shoulders
-  Straps with padded padding on shoulders, legs and torso that guarantee extra comfort, lightness and safety
-  Exclusive strap with padded chest padding, offering double safety in case of falls and ergonomics and comfort when working
-  DOUBLE LINK® textile coupling point resistant to 10 thousand cycles of use (10 years of intense use)
-  DOUBLE LINK® reduces connector wear, no metal/metal contact
-  Developed with noble metal material (stainless steel and aluminum), which is why its buyers are satisfied with its corrosion resistance – 100%
-  It does not lose tension when adapting to the body even when the person walks
-  Exclusive patented AC® system, double cylindrical bar buckle with angled stainless steel crown on both sides
-  3 yellow doors made of structured material, which facilitate the handling of the equipment
-  3 sizes and with innovative size identification system - TASK methodology for people weighing up to 150kg
-  2 material ports on the shoulders, to fit the MGO connectors of the fall arrest system
-  Made of 100% polyester ribbons
-  For people up to 150kg

Certifications

EQUIPMENT

IZFOUR®

REGULATIONS

ABNT NBR 15835/2022 | 15836/2022

CA

48235

Gallery



Measurements and Materials

Product name:	IZ FOUR®				
Product code:	TC-0149 (S) TC-0147 (ML) TC-0148 (XL)				
Dimensions:	Sizes	Leg	Lumbar	Suspender	Minimum Trunk
	S	66	86 - 108	98 - 104	105
	ML	66	94 - 116	108 - 114	115
	XL	66	102 - 124	118 - 124	125
Material:	Polyester, aluminum and stainless steel				
Lifespan:	Maximum duration of 10 years from the date of manufacture in the case of normal and appropriate use and when stored in acceptable conditions				
Warranty:	1 year against manufacturing defects NOTE: The equipment is produced with high-tech materials, manufactured in Brazil with 100% quality and safety				
Capacity:	Users up to 150kg				
Color:	Black with yellow details				
Weight:	S - 1,360kg ML - 1,460kg XL - 1,640kg				

Applications

The IZ FOUR® is a parachutist-type safety harness with 6 anchor points, extremely light and resistant to corrosion – 100%, being 2 for fall arrest, 2 for DOUBLE LINK® textile positioning and 2 rescue points on the shoulders, ideal for work at height, positioning and confined spaces.

Related products

QUICK UP



TB-0005

TRIANGLE



TM-0020

REACTOR 55



TB-0022

REACTOR 110



TC-0026

SITE



TC-0024

LUCK



TC-0020

STEEL



TB-0012

RELOCK 10



TB-0029

ROCK



TL-0107 | TL-0108
TL-0109 | TL-0110

FOCUS



TL-0007 | TL-0006 | TL-0005

THOR



TL-0084 (P) | TL-0085 (M) | TL-0086 (G)

THOR LIGHT 3/4



TL-0095 (G) | TL-0101 (G)

FAQ

WHAT TYPES OF ACTIVITIES CAN I USE IZ FOUR® FOR?

The harness is specially developed for vertical operations, as well as work at heights and in confined spaces.

HOW DO I KNOW THE YEAR OF MANUFACTURE/BATCH AND THE TRACEABILITY NUMBER?

The harness traceability label follows the TASK standard, with individual number, month and year (last four numbers).

WHERE IS THE QR CODE?

The QR code for the IZ TWO harness is located together with the traceability code on the back of the torso adjustment strap.

WHAT ARE THE HARNESS PATENTS?

Straps with filling system is a TASK patent. Exclusive DOUBLE LINK® double-ring textile coupling system. INOX buckles with exclusive AC® system.

WHAT ARE THE SIZES AND WEIGHT OF THE USER?

Innovative sizing system: S, M, L and XL. For people weighing up to 150kg.

HOW MANY AND WHAT ARE THE BELT ADJUSTMENT POINTS?

The harness has 4 stainless steel buckles to adjust the waist (2) and torso (2).

IF A FALL OCCURS WITH THE HARNESS, WHAT SHOULD I DO?

According to NR 35 - 35.5.2.3 PPE, accessories and anchoring systems that present defects, degradation, deformation or suffer impacts due to falls must be rendered useless and discarded, except when their restoration is provided for in national technical standards or, failing that, international standards.

WHERE IS THE INMETRO LABEL?

The INMETRO label is located on the back, on the torso adjustment strap.

DOES THIS HARNESS HAVE CA?

Yes. The harness has CA 48235.

HOW LONG DOES THE HARNESS LAST?

The IZ line is 3 times more durable than a normal harness, produced with noble materials such as steel buckles that guarantee durability and 100% satisfied customers.

WHAT TYPES OF CONNECTIONS DOES THE HARNESS OFFER?

The harness has 6 anchor points, is extremely light and 100% corrosion resistant, with 2 connection points and 2 rescue points on the shoulders.

WHAT IS THE LIFESPAN OF THE HARNESS?

The manufacturer reports that the useful life of the harness under normal circumstances and when used correctly and stored in ideal conditions can reach 10 years, 5 years after manufacture in storage, and 5 years when put into operation.

